

PRICE LIST
FROM 1ST JULY 2024

TUSKER
INDUSTRIAL SAFETY



TUSKER INNOVATION IN WELDING SAFETY

PPE - Premium and economy leather, proban and aluminised garments for welding, foundries and all applications requiring fire retardancy.

Code	Item	Size	Premium	Economy	GEM+	Proban
Jackets						
2B	Single Breasted Jacket	S/M/L	116.75	92.61	332.68	82.07
		XL	122.62	97.40	355.69	90.97
		2XL	159.39	143.45	-	-
PB2B	Proban Backed Jacket	S/M/L	166.81	132.29	-	-
		XL	175.17	139.19	-	-
		2XL	227.74	180.94	-	-
3	Double Breasted Jacket	S/M/L	186.96	135.80	365.81	-
		XL	204.53	144.73	387.51	-
		2XL	292.48	265.90	-	-
6	Bib & Brace	S/M/L	211.98	190.77	-	-
		XL	254.38	209.77	-	-
		2XL	330.71	272.83	-	-
4	Cape & Sleeve (Open Backed)	S/M/L	77.85	57.76	-	-
		XL	83.29	62.49	-	-
		2XL	108.30	-	-	-
	Cape & Sleeve (Fully Backed)	S/M/L	116.78	86.69	-	-
		XL	125.03	93.74	-	-
		2XL	173.18	-	-	-
1	Boiler Suit	One Size	-	-	-	117.19
Trousers						
5	Trousers	S/M/L	178.26	162.90	368.56	79.48
		XL	187.60	176.80	423.97	88.27
		2XL	243.93	-	-	-
7	Cowboy Chaps	One Size	103.37	91.97	-	-
Apron						
8A	Apron Chaps to Knee	One Size	69.57	54.93	116.70	-
8B	Apron Chaps to Ankle	One Size	96.36	78.07	190.67	-
9A	Apron	One Size	34.30	25.87	95.59	48.06
9B	Waist Apron	One Size	44.63	32.98	81.13	43.14
4A	Apron Attachment	One Size	36.44	30.05	-	-
Sleeve						
11A	Sleeve - Cuffed	20" Long	25.00	17.36	91.29	35.04
11B	Sleeve - Strapped & Buckled	17" Long	38.19	33.06	90.22	-
11C	Full Length Cuff/Strap/Buckle	24" Long	50.65	38.83	119.42	-
11D	Full Length Stud/Strap/Buckle	24" Long	50.65	38.83	119.42	-
Hood						
18	Gouging Hood (Premium available in red only)	3"	38.41	30.91	-	20.18
		6"	40.12	34.31	-	25.95
		9"	49.97	44.74	-	32.83
		12"	55.79	50.38	-	40.41
18/1	Gouging Hood Lined (Premium available in red only)	3"	43.99	36.57	-	23.82
		6"	45.80	39.87	-	27.23
		9"	63.59	55.77	-	38.09
		12"	65.92	59.37	-	48.84
14	Shoulder Cape & Hood	One Size	57.73	46.81	-	-
19	Fleximask (Shade 10 Lens, 4 1/4" x 2")	One Size	138.90	132.86	119.73	-

Tusker PPE is made in the UK to the highest quality standards.

Code	Item	Size	Premium	Economy	GEM+	Proban
Additional						
10A	Spats with Velcro Fixing	8"	27.63	21.70	POA	-
		12"	27.89	23.07	42.10	-
		16"	38.99	30.14	POA	-
10B	Spats with Straps & Buckles	8"	27.63	21.70	POA	-
		12"	27.89	23.07	40.10	-
		16"	38.99	30.14	POA	-
12	Knee Pads	One Size	38.43	29.12	-	-
35	Elbow Pads	One Size	45.86	42.57	-	-
21	Rod Holder	One Size	28.43	22.38	-	-
20	Cravat	One Size	-	-	-	20.29
23	Glove Protectors	One Size	17.73	11.95	21.97	-
	Heat Reflective Hand Shield	One Size	38.68 per pair (Premium/GEM)			

Tusker Caps (premium in red only)

17A	Tusker Cap	7-8	-	-	-	13.79
17B	Tusker Multi	One Size	-	-	-	13.11
30	Tusker Bandana	One Size	-	-	-	14.75
15A	Skull Cap	One Size	17.58	15.56	-	9.13
15B	Skull Cap with Back Flap	One Size	22.67	20.26	-	10.28
15C	Legionnaires Cap	One Size	-	-	-	16.35
16A	Peaked Cap	One Size	21.23	17.72	-	12.46
16B	Peaked Cap with Back Flap	One Size	26.22	22.73	-	16.46

Welders Gown

WGOWN	Welders Gown	S/M/L	92.37	83.13	-	-
		XL	120.06	108.06	-	-

SIZE GUIDES

Standard Sizes	Chest	Waist
Small	92cm (36")	82cm (32")
Medium	102cm (40")	92cm (36")
Large	112cm (44")	102cm (40")
Extra Large	122cm (48")	112cm (44")
2XL	132cm (52")	122cm (48")
3XL	142cm (56")	132cm (52")

Hat Sizes	Measurements
Small	7", 7 ^{1/8"} , 7 ^{1/4"}
Medium	7 ^{3/8"} , 7 ^{1/2"}
Large	7 ^{5/8"} , 7 ^{3/4"}

Welding Curtains and Frames - fully customisable curtain and track options for welding, spray booths, dust, laser, x-ray and more.

Code	Welding Curtains	Custom	1.83x1.22 (6ft x 4ft)	1.83x1.83 (6ft x 6ft)	1.83x2.44 (6ft x 8ft)	50m Roll
ULV1	Lowvis Green - Reinforced	31.21/m ²	58.22	87.18	105.60	826.07
SA1	Safearc Amber - Reinforced	31.21/m ²	58.22	87.18	105.60	826.07
SA2	Safearc Bronze - Reinforced	31.21/m ²	58.22	87.18	105.60	826.07
HIV3	HiVis Amber - Standard	31.21/m ²	58.22	87.18	105.60	826.07
TWG1	Weld Green - Standard	31.21/m ²	58.22	87.18	105.60	826.07
NEO250	Neogard - 660gms	81.40/m ²	136.24	218.58	291.40	-
NEO400	Neogard - 850gms	96.55/m ²	166.21	249.29	332.33	-
CAN1	Canvas - 12oz	38.94m ²	72.40	108.75	144.94	1784.30
EJ1	Jute - Woven Natural Material	20.69/m ²	52.14	67.76	84.30	258.33

Code	Size	Track Systems	Price
ST3	2.44m High	Stanchion Upright Powder Coated, Std Colour - Fixing Plate 150x150mm with 4x 11mm Holes	135.25
TR31	31 x 31 x 12mm	Track Section with Galvanised Finish - cut to length	22.76/m
TRSB	50mm	Single Track Bracket for fixing to uprights	27.14
TRDB	2 x 50mm	Double Track Bracket for fixing to uprights	34.00
TRJB	100mm	Single Track Joining Bracket	44.82
TRCB	50mm	Single Track Bracket for fixing direct to ceiling/wall	27.13
TRCTW	50mm	Twin Track Bracket for fixing direct to ceiling/wall	51.57
TRBEND		300mm Radius Track Bend - 90°	460.88
TRBEND		600mm Radius Track Bend - 90°	565.74
M10STUD		M10 Stud Bar	10.99
RREEL	8 METRE SPAN	Retractable Reel	1339.17

Code	Track Accessories	Price
HOOK	Hook for Curtains and Strip	2.17
NTW	Nylon Trolley Wheel with 'S' Hook	29.55

Code	Welding Strip	Size	Per Metre	50m Roll
G200	Green Strip	200x2mm	9.73	429.07
G2MM	Green Strip	300x2mm	13.82	480.62
A2MM	Amber Strip	300x2mm	13.82	480.62
B200	Bronze Strip	200x2mm	9.73	429.07
B2MM	Bronze Strip	300x2mm	13.82	480.62

Code	Non-Welding Strip	Size	Per Metre	50m Roll
CL200	Clear Strip	200x2mm	8.50	263.40
CL200/3	Clear Strip	200x3mm	12.73	395.90
CL200/4	Clear Strip	200x4mm	16.92	692.45
CL2MM	Clear Strip	300x2mm	10.87	395.90
CL3MM	Clear Strip	300x3mm	19.17	593.85
CL2MM2.5	Clear Strip - Forklifts	400x2.5mm	21.21	862.04
CL4MM	Clear Strip - Forklifts	400x4mm	28.28	985.07
CM4MMB	Clear Ribbed Strip - Forklifts	400x4mm	31.46	1055.73

Code	Strip Fixing Options	Size	Price
GOS1	Galvanised Steel Overhead Support	1m Length	32.12
GOS3	Galvanised Steel Plate Set	300mm	6.49
GOS4	Galvanised Steel Plate Set	400mm	9.04
HOS1	Heavy Duty Galvanised Steel Overhead Support	1m Length	60.30
HOS3	Heavy Duty Galvanised Steel Plate Set	300mm	9.50
HOS4	Heavy Duty Galvanised Steel Plate Set	400mm	13.64
SOS1	Stainless Steel Overhead Support	1m Length	50.02
SOS3	Stainless Steel Plate Set	300mm	10.71
SOS4	Stainless Steel Plate Set	400mm	14.14

Code	Non-Welding Curtains	Custom	1.83x1.22	1.83x1.83	1.83.x2.44	50m Roll
TG1	Transgreen - Reinforced	30.92/m ²	58.01	87.14	116.13	826.07
GCL1	Glass Clear	52.48/m ²	70.18	105.48	140.62	919.19
GCL1R	Glass Clear - Reinforced	34.43/m ²	64.51	94.90	126.52	543.69
Code	Tarpaulin					
PE14	White FR Tarpaulin	13.97/m ²	please call for bespoke sizes			605.57

Code	Acoustic Curtains	2x1	2x2.4
ACSL	Acoustic Curtain with SIL+ outer	584.12	1168.33
ACB250	Acoustic Curtain with BLWB250	478.13	956.19
ACPVC	Acoustic Absorber and Noise Barrier	589.96	1473.00

Code	Acoustic Curtains to suit Stand Alone Frames	1.8x1.8
STAC	Acoustic Panel for ST Frames	1297.43

Code	Curtain Fixing Options	Size	Price
SR1A	Split Ring	38mm	0.63
SR1B	Split Ring	51mm	0.98
SR1C	Split Ring	76mm	2.84
SR1D	Pear Shaped Split Ring	66mm x 37mm	1.65
PS1	Press Studding	-	5.83/m
VEL1	Velcro Fastening - Flame Retardant	25mm	5.83/m
VEL2	Velcro Fastening - Adhesive	20mm	4.93/m
VEL3	Velcro Fastening - Adhesive	50mm	14.21/m
EYE1	Eyelets (where required on additional edges)	14mm	0.30

Welding blankets, industrial fabrics and accessories Can be fully customised to suit your requirement.

Code	Item	Standard Sizes - Metres (can be customised) Roll - Metres					
WBN20	Weldstop Plus 2005gms	1x1 172.92	2x1 325.40	2x2 651.99	3x1 488.16	4x1 651.99	25x1 3254.70
WBN11	Weldstop Plus 1100gms	1x1 109.11	2x1 198.38	2x2 396.28	2.5x2 496.03	3x2 595.23	25x1 1983.54
SIL+	Silplus High Temperature	0.9x2 210.03	1.8x2 420.03	2.7x2 630.13			50x0.9 3154.07
GEM+	Aluminised Glass Backed Fabric	1x1 114.55	2x1 229.10	2x2 458.11	2.5x2 572.84	3x2 686.06	25x1 919.19
NEO400	Neoprene 850gms	1x1 67.70	2x1 135.43	2x2 270.88	2.5x2 338.58	3x2 406.34	50x1 1614.76
NEO250	Neoprene 660gms	1.2x1 53.42	1.2x2 106.50	2.4x2 213.09	3.6x2 319.61		50x1.2 1724.22
LWB250	Lightweight Spark/Glare	1x1 38.29	2x1 76.57	2x2 153.13	2.5x2 191.43	3x2 229.71	50x1 765.98
HRB100	Thermal Insulation Stress Relief	1x1 69.15	2x1 137.29	2x2 274.59	2.5x2 343.30	3x2 411.95	50x1 1072.38
HRPW100	Pipe Wrap	300mm x 1m (call for special sizes) 66.48					
WSM 1000	Heat Pad up to 1000°	225mm x 225mm 25.98 net		450mm x 225mm 53.73 net		450mm x 450mm 107.57 net	
WSM 1000F	Heat Pad with Ceramic Filler	225mm x 225mm 37.33 net		450mm x 225mm 74.77 net		450mm x 450mm 149.65 net	
CCP400	Cable Cover with Velcro or press studs			C125mm x 1m 31.79 net		C175mm x 1m 37.68 net	
CCPRT	Heat Resistant Red Leather Cable Cover with velcro or press studs			C125mm x 1m 33.60 net		C175mm x 1m 39.22 net	
WCUSH	Welding Cushion	50cm x 50cm x 8cm 80cm x 50cm x 8cm		103.94 (Bespoke sizes POA) 165.60 (Bespoke sizes POA)			

Curtains and frames/accessories.

Code	Heavy Duty Frames (HD)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
HD1320	Heavy Duty 1.3m wide x 2m drop	468.58	547.96	626.57	567.38
HD1920	Heavy Duty 1.9m wide x 2m drop	494.44	594.86	719.83	631.19
HD2520	Heavy Duty 2.5m wide x 2m drop	521.78	644.32	849.42	676.96

Code	Additional Components	1.3m Wide	1.9m Wide	2.5m Wide	
HDTS	Top Horizontal Support	114.14	128.76	137.29	
HDLS	Lower Horizontal Support	124.49	138.36	155.60	
1m Wide					
HDHA	Hinged Extension Arm	87.82			
1.5m Wide					
HDHE	Hinged Extension Arm with Vertical Support - 2m High	289.66	296.71	309.62	310.62
3m Wide					
					303.01
3.5m Wide					

Code	Stand Alone Frames (ST)	Frame Only	Frame & PVC	Frame & Strip	Frame & Canvas
ST46	1.83m x 1.22m	322.37	377.69	442.90	380.40
ST66	1.83m x 1.83m	345.91	433.51	550.09	448.40
ST86	1.83m x 2.44m	371.54	485.85	626.45	504.06
STBAYFT	Special Foot Assembly	91.99			

Code	Portable Frames	Frame Only	Frame & PVC	Frame & Canvas	Frame & Jute
RF164	1.83m x 1.22m	94.32	149.60	154.30	132.31
RF165	1.83m x 1.50m	100.44	162.52	180.90	149.71
RF166	1.83m x 1.83m	106.01	184.43	205.15	157.85
RF122	2m x 2m	115.63	210.61	235.08	180.32
RF168	1.83m x 2.44m	117.83	226.97	255.51	192.66
RF123	2m x 3m	165.32	304.86	340.89	255.24
RFPOR	1.83m x 1.83m	-	181.68	(comes with carry bag)	
RFFOLD	1.83m x 1.83m	-	225.79	-	-
RFFOLD	2.44m x 1.83m	-	301.03	-	-
EASYS	1.83m x 1.83m	-	243.71	304.64	
MTTS	90cm x 40cm x 75cm	-	160.50	(net)	

Code	Frame Accessories	Price
RW75B	Braked Rubber Castors for HD & ST Frames, 75mm Diameter	19.82
CAS1	Nylon Castors for RF Frames, 50mm Diameter	11.99
CAS2	Nylon Castors for RG Frames, 50mm Diameter, braked	16.41
HOOK	Tusker Hook for HD Frames	2.14
LF1	Link for RF Frames	14.67

Work Shelters

Code	Work Shelters (EL)	Only	Frame	Only	PVC Cover Only	HD Canvas Cover
EL222	2m x 2m x 2m		521.44		586.62	920.80
EL332	3m x 3m x 2m		803.06		924.99	1572.32
EL333	3m x 3m x 3m		992.68		1087.51	2035.09
ELPORT222	2m x 2m x 2m		521.44		586.62	920.80
ELPORT332	3m x 3m x 2m		803.06		924.99	1572.32
ELPORT333	3m x 3m x 3m		992.68		1087.51	2035.09
MHTENT	1m x 1m x 2m		385.90		251.04	430.32

Code	Welding Umbrella	Price
UM125C	2.5m diameter complete with Heavy Duty Canvas Cover (blue or green)	571.54



Heavy duty frames with hinged arms.

Fire barriers and miscellaneous.

Heavy duty frames with hinged arms with welding PVC curtain

1.3m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	431.46
1.9m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	479.39
2.5m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	527.34

Heavy duty frames with hinged arms with welding strip curtain

1.3m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	539.32
1.9m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	599.25
2.5m wide x 2.0m drop with 2 x 1m hinged arms and braked castors and hooks	659.18

Fire Barriers

Code	Item	Size (Metres)			
		1 x 50	1.3 x 50	1.5 x 50	3 x 50
PU28	Fire Barrier	369.96	480.25	555.63	2073.07
		Net	Net	Net	Net
5000TRL	Atex Membrane	Price on request			

Acoustic Barriers

Code	Item	Size			
	Acoustic Black Polyurethane Foam	25mm x 2m x 1.2m	155.27 (min order 10)		
	Acoustic Grey Melamine Resin Foam	25mm x 2.5m x 1.25m	163.73 (min order 10)		

Smoke Barriers

Code	Item	Size (Metres)			
		1.83x1.22	1.83x1.83	1.83x2.44	
NEOGARD250	Neogard 250 Curtain	120.32	218.58	291.40	
NEOGARD400	Neogard 400 Curtain	147.97	249.29	355.58	

Accessories

50mm Glass Tape	146.53 (min order of 10)
-----------------	--------------------------

Weld Matting

Code	Item	Size (Millimetres)	
TWMAT	Weld Matting	914 x 609 x 14	154.27

Miscellaneous

Anti-fatigue matting, bubble polythene, debris netting, latex sheeting, anti-insect strip	POA
---	-----

Tusker Industrial Safety design, manufacture and supply an extensive range of mobile frames and flame retardant curtain materials suitable for use in all welding and fabrication processes.

Tusker frames offer a wide choice of mobile screens which when combined with Tusker curtains, offer excellent protection against harmful levels of UV light as well as sparks.

All frames are available in a number of standard sizes and can be manufactured to customer requirements. Your company branding can be added to curtains and frames can be coloured to match corporate requirements.

Heavy Duty Frames: HD Series

Constructed from 35mm box section steel for strength and powder coated for a robust finish. Features a top track section specially formed to suit Tusker hooks that are strong enough for all welding curtains and strips.



HD Series - bolt together construction for extra stability.

Hinged extension arms, uprights, horizontal supports and castors are available to allow users to extend frame construction. All connection points are flow drilled and threaded for fast, solid assembly. Supplied in orange as standard.

Heavy-duty frames: ST Series

Our ST Series frames are a heavy duty option with a slot together, 35mm box section construction and powder coated for a robust finish. Suitable for use with the Tusker curtain and strip range, with the curtain fitted over the uprights. Castors are available for extra mobility.



ST Series - easy slot together construction



Tusker heavy duty frames can be fitted with castors for added mobility.



Available in a range of off-the-shelf or bespoke sizes and fitted with Tusker curtain or strip.

Portable economy frames: RF Series

A practical, lightweight and easy to assemble portable frame system. Manufactured from galvanised steel with a specially formed 19mm box section to give extra strength. Suitable for use with Tusker curtains which fit over the uprights. All frames can be extended by links, and castors are available for extra mobility.



Work Shelters (Elephant frames): EL Series

Tusker elephant frames are ready assembled fold-away mobile shelters. Manufactured from galvanised steel and available with our range of flame retardant covers for both welding and non-welding applications.

Standard sizes available:

2x2x2m

3x3x2m

3x3x3m

Also available are manhole tents

1x1x2m



Hinged Arm Framesets

Tusker hinged framesets offer adaptable welding protection. Pivoting arms mean that the system can create a mini welding bay. Construction with 35mm box section steel and powder coated and fitted with a range of our PVC or canvas curtain. Features a top track section specially formed for Tusker hooks which are strong enough for all welding curtains.



Hi-vis Amber HIV1

A translucent PVC welding curtain recommended for all welding applications where a good degree of visibility is required.



Safearc Amber SA1

Reinforced for extra strength and tear resistance. Recommended for applications where a degree of visibility is required.



Ultra Low-vis ULV1

Extra strength, extra low visibility, very dark green, matt. Recommended for applications where no visibility is required.

Safearc Bronze SA2

Reinforced for extra strength and tear resistance. Recommended for applications where a degree of visibility is required.




Weld-Green TWG1

A dark green PVC welding curtain recommended for all applications where a low degree of visibility is desired.



Heavy Duty Canvas CAN1

Waterproof and rot-proof. Suitable for both indoor and outdoor applications.



Neogard 250 NEO250

660gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.

Neogard 400 NEO400


850gms. Neoprene coated fibreglass material for use as a heavy duty welding/grinding screen or smoke barrier. No visibility.



Jute EJ1

Closely woven natural material. A cost-effective alternative to traditional canvas. Suitable as a light duty welding screen cover. Indoor use only.

Information - non-welding curtain and welding and non-welding strip curtain



Glass Clear Reinforced GCL1R

Reinforced for extra strength and tear resistance. Typical applications include paint spray booths and dust protection.



Glass Clear GCL1

Suitable for where total visibility is required. Typical applications include paint spray booths and dust protection.



Non-welding strip curtaining CL2MM

Suitable for where total visibility is required. Typical applications include paint spray booths and dust protection.

Welding strip curtaining



Green strip curtaining G2MM



Amber strip curtaining A2MM



Bronze strip curtaining B2MM

Our strip curtain materials are available in a range of widths and thicknesses. 300mm x 2mm is standard.

Our strip curtaining can be supplied either eyeletted, or with our plate sets and overhead supports.



THE ULTIMATE IN WELDING PPE APPAREL

JACKET	CB2B	S/M/L	159.16
		XL	166.81
		2XL	214.62
PROBAN BACKED JACKET	CBPB2B	S/M/L	224.27
		XL	235.17
		2XL	303.48
FLEXIMASK	CB19		188.00
GOUGING HOOD	CB18		79.96
APRON	CB9A		52.03
WAIST APRON	9B		65.46
SPATS	CB10A		58.11
TROUSERS	CB5	S/M/L	254.64
		XL	268.00
		2XL	348.47
WELDING CUSHION	CBWCUSH	50X50X8	141.96
		80X50X8	222.68
CAPE AND SLEEVES	CB4	S/M/L	159.22
		XL	169.93
		2XL	204.32
SLEEVE CUFFED 20"	CB11A		51.88
SLEEVE STRAP AND BUCKLE 20"	CB11B		59.54
SLEEVE FULL LENGTH CUFF/STRAP/BUCKLE 24"	CB11C		72.37
SLEEVE FULL LENGTH STUD/STRAP/BUCKLE24"	CB11D		72.37
APRON CHAPS TO ANKLE	CB8B		132.69
SWEATSHIRT	CBSS		114.01
COVERALL	CB1		159.81
PROBAN TROUSER	CBPB5		52.74

CODEBLACK
BY TUSKER INDUSTRIAL SAFETY





2 Lister Close
Newnham Industrial Estate
Plymouth
PL7 4BA
UK

t: +44 (0) 1752 201000
e: sales@tuskerindustrial.com
www.twitter.com/Tusker_UK

Tusker Industrial Safety is a division of Safety First Manufacturing Co Ltd

WWW.TUSKERINDUSTRIAL.COM